





DAI DUONG®

GIỮ TRỌN NIỀM TIN - VƯỜN MÌNH TỎA SÁNG

SINCE 2001





O S S DAIDUONG INTERNATIONAL JOINT STOCK COMPANY

DUC HOA STAINLESS STEEL WELDED PIPES MILL

A: LE 4 Lot, Str. No2, Xuyen A Industrial Zone, My Hanh Bac, Duc Hoa, Long An, Viet Nam.

PHU MY STAINLESS STEEL COILS MILL

A: B3-3 Lot, Str. D3, Phu My Industrial Zone, Tan Phuoc Ward, Phu My Town, Ba Ria-Vung Tau, Viet Nam.

HO CHI MINH REPRESENTATIVE OFFICE

A: 27/4 Tay Lan Street, Quarter 7, Binh Tri Dong A, Ward, Binh Tan District, HoChiMinh City, Viet Nam.

E: info@inoxdaiduong.com
W: www.inoxdaiduong.com

T: 1800 6968
MST: 1100968607

THE FORMATION AND DEVELOPMENT PROCESS OF DAI DUONG

2001: Entry into the stainless steel industry

2003: September 6th 2003 , Established *Dai Duong Production & Trading LTD Company* – is known for its diverse range of trading activities, focusing on various types of stainless steel and supplying across the country.

2009: O S S Dai Duong International JSC was found, also constructed stainless steel pipe mill at Duc Hoa, Long An. The main products are stainless steel welded pipe in grade 304, 201, 430, which capacity is 15,000 tons per year, as well as stainless steel round bar with a capacity of 2,000 tons per year. These products are used in construction, decoration, household appliances for both domestic and export markets.

Decorative round, square and rectangular pipes in grades 201, 304, and 430 which are manufactured and operated according to ISO 9001:2015. They are certified compliant with Europe Standard EN10217-7, approved by The European Committee for Standardization (CEN), and also certified compliant with ASTM A554 standard by ASTM International - American Society for Testing and Materials, as well as the JIS G3459 by Japan Industrial Standard (JIS) organization. Additionally, Dai Duong has received many certifications, especially Top 10 Strong Brand of Vietnam.

2021: Marked with 20 years, Dai Duong continue to invest the 2nd factory: Stainless Steel Coil mill at Phu My – Ba Ria Vung Tau, with a capacity is 80,000 tons of steel coils per year. The mill's target is to supply materials for Duc Hoa pipes mill, also provide to domestics and oversea market with cold-rolled stainless steel products in grade 316, 306, 201, 430, 410 ...

At the present, Dai Duong is supplying domestic and export market:

- ▶ Steel pipe: 20,000 tons per year
- ▶ Round bar: 5,000 tons per year
- ▶ Cold rolled coils: 40,000 tons per year
- ▶ Beside products of Duc Hoa pipes mill, Dai Duong has a diverse trading business with various of stainless steel product: coil, sheet, industrial products such as seamless pipes, flat bars, angle bars which imported from Japan, Korea, India, Indonesia,... with annual volume of 20,000 tons per year.

Dai Duong Stainless Steel pipes have been affirmed as the leading stainless steel pipe in Vietnam market. They are recognized for the quality and credibility, certified by the trust & loyalty of customer across Vietnam and around the world. The stainless steel pipe produced by Dai Duong have been exported to Europe, Asia and Latin America such as Russia, Poland, Ukraine, Turkey, India, Malaysia, Indonesia, Brazil, ...



VISION

- ▶ *Dai Duong continues to affirm position as a Vietnam leading supplier in Stainless steel material and manufacture related products.*

MISSION


- ▶ *To ensure customer's satisfaction by providing high quality stainless steel product, competitive price and convenient services.*
- ▶ *Operating as an efficient economic organization, promoting sustainable development to secure employee's living and raise long-term value for our shareholders.*
- ▶ *Connect the company's interests with social responsibility by participating in building social community and contributing to the country's economic development.*

CORE VALUES

- ▶ *Dedicated and trustworthy in work, partners, and customers.*
- ▶ *Efficient operation & development with sustainable growth.*
- ▶ *Success with customer, take care and meet customer's requirement.*
- ▶ *Systematic operations, sharing information, a civilize work environment and as a common house for employees.*

QUALITY POLICY

- ▶ *Always provide the best products and services, ensuring to meet the highest customer's demands.*
- ▶ *Maintain and continuously improve quality management system in accordance with ISO 9001:2015 standards and product quality standards such as ASTM, JIS G, and BS EN, to ensure stable quality and continuously enhanced.*
- ▶ *Provide comprehensive training to all employees at all levels, equipping them with the necessary knowledge and skills for their roles. Maintain and ensure a standard of living for employees that is equal to or higher than the regional average.*
- ▶ *Implement a customer-centric and customer-care policy, deeply listening to customer feedback and responding promptly to their inquiries.*
- ▶ *Choose qualified materials and suppliers, which have reputable brand, to ensure the quality of input materials.*





PRODUCTS


**STAINLESS STEEL 304/201/430 ROUND,
RECTANGULARS, SQUARE PIPES**




STAINLESS STEEL PRODUCTS ARE MANUFACTURED BY O S S DAI DUONG'S FACTORY

The main products of Dai Duong stainless steel pipe mill are stainless steel round bar, round, square and rectangular pipes and cold rolled coils in grade 201,304,430 which are manufactured and operated according to ISO 9001:2015. They are certified compliant with Europe Standard EN10217-7, approved by The European Committee for Standardization (CEN), and also certified compliant with ASTM A554 standard by ASTM International - American Society for Testing and Materials, as well as certified compliant with JIS standard. Additionally, Dai Duong has received many certifications, especially Top 10 Strong Brand of VietNam.

OSS Dai Duong Stainless Steel Tube Products have been confirmed as the leading stainless steel tube products of Vietnam market. They are sold in local market as well as exported into foreign market, such as Europe, American, Asean...





1.1 STAINLESS STEEL 304, 201, 430 ROUND, RECTANGULAR, SQUARE PIPES

EU STANDARD EN 10217-7, AMERICAN STANDARD ASTM A554, JAPAN INDUSTRIAL STANDARD JIS G3459

STAINLESS STEEL 304, 201, 430 ROUND PIPES SPECIFICATION TABLE


DAI DUONG®		Thickness																							
		0.22	0.25	0.3	0.35	0.40	0.45	0.50	0.55	0.60	0.70	0.80	0.90	1.00	1.10	1.20	1.40	1.50	1.80	2.00	2.50	3.00			
SIZE	9.5	0.31	0.35	0.41	0.48	0.54	0.61	0.67	0.74	0.80	0.92	1.04	1.16	1.27	1.38										
	10.0	0.32	0.36	0.43	0.50	0.57	0.64	0.71	0.78	0.84	0.97	1.10	1.22	1.34	1.46	1.58									
	12.0		0.44	0.52	0.61	0.69	0.78	0.86	0.94	1.02	1.18	1.34	1.49	1.64	1.79	1.94									
	12.7		0.47	0.56	0.65	0.74	0.82	0.91	1.00	1.08	1.25	1.42	1.59	1.75	1.91	2.06									
	14.0			0.61	0.71	0.81	0.91	1.01	1.11	1.20	1.39	1.58	1.76	1.94	2.12	2.29									
	15.0			0.66	0.77	0.87	0.98	1.08	1.19	1.29	1.50	1.70	1.90	2.09	2.28	2.47									
	15.9			0.70	0.81	0.93	1.04	1.15	1.26	1.37	1.59	1.80	2.02	2.23	2.43	2.64	3.03	3.23							
	18.0			0.79	0.92	1.05	1.18	1.31	1.43	1.56	1.81	2.06	2.30	2.54	2.78	3.01	3.47	3.70							
	19.1			0.84	0.98	1.12	1.25	1.39	1.52	1.66	1.92	2.19	2.45	2.70	2.96	3.21	3.70	3.94	4.65						
	20.0			0.88	1.03	1.17	1.31	1.46	1.60	1.74	2.02	2.29	2.57	2.84	3.11	3.37	3.89	4.15	4.89						
	21.3			0.94	1.10	1.25	1.40	1.55	1.71	1.86	2.15	2.45	2.74	3.03	3.32	3.60	4.16	4.44	5.24						
	22.2			0.98	1.14	1.30	1.46	1.62	1.78	1.94	2.25	2.56	2.86	3.17	3.47	3.76	4.35	4.64	5.49	6.04					
	25.4				1.31	1.49	1.68	1.86	2.04	2.22	2.58	2.94	3.29	3.65	3.99	4.34	5.02	5.36	6.35	6.99					
	26.9				1.39	1.58	1.78	1.97	2.17	2.36	2.74	3.12	3.50	3.87	4.24	4.61	5.33	5.69	6.75	7.44					
	27.2				1.40	1.60	1.80	1.99	2.19	2.38	2.77	3.16	3.54	3.91	4.29	4.66	5.40	5.76	6.83	7.53					
	28.0				1.45	1.65	1.85	2.05	2.26	2.46	2.86	3.25	3.64	4.03	4.42	4.80	5.56	5.94	7.05	7.77					
	30.0				1.55	1.77	1.99	2.20	2.42	2.64	3.06	3.49	3.91	4.33	4.75	5.16	5.98	6.39	7.58	8.37					
	31.8				1.64	1.88	2.11	2.34	2.57	2.80	3.25	3.71	4.15	4.60	5.05	5.49	6.36	6.79	8.07	8.90					
	33.4							2.46	2.70	2.94	3.42	3.90	4.37	4.84	5.31	5.77	6.69	7.15	8.50	9.38					
	38.1							2.81	3.09	3.36	3.91	4.46	5.00	5.54	6.08	6.62	7.68	8.20	9.76	10.79					
	40.0							2.95	3.24	3.53	4.11	4.69	5.26	5.83	6.39	6.96	8.07	8.63	10.27	11.35					
	42.4							3.13	3.44	3.75	4.36	4.97	5.58	6.19	6.79	7.39	8.58	9.17	10.92	12.07					
	42.7							3.15	3.46	3.77	4.39	5.01	5.62	6.23	6.84	7.44	8.64	9.23	11.00	12.16					
	44.5							3.29	3.61	3.94	4.58	5.22	5.86	6.50	7.13	7.76	9.01	9.64	11.48	12.70					
	48.3							3.57	3.92	4.28	4.98	5.68	6.37	7.07	7.76	8.44	9.81	10.49	12.50	13.83					
	48.6							3.59	3.95	4.30	5.01	5.71	6.41	7.11	7.81	8.50	9.87	10.56	12.59	13.92					
	50.8							3.76	4.13	4.50	5.24	5.98	6.71	7.44	8.17	8.89	10.33	11.05	13.18	14.58					
	60.5									5.37	6.25	7.14	8.01	8.89	9.76	10.63	12.36	13.22	15.79	17.48					
63.5									5.64	6.57	7.49	8.42	9.34	10.25	11.17	12.99	13.89	16.59	18.38						
76.2									6.78	7.90	9.01	10.12	11.23	12.34	13.45	15.65	16.74	20.01	22.17	16.74	32.81				
89.1												11.86	13.16	14.46	15.76	18.34	19.63	23.48	26.03	19.63	38.59				
101.6																	22.43	26.84	29.76	22.43	44.19				
114.2																	25.26	30.23	33.53	25.26	49.84				

◇ Specification:

- Size: Ø 9.5mm – Ø 114.2 mm
- Thickness: 0.2 mm – 3.0 mm
- Surface finish: 320 grit, 550 grit, 600 grit
- The ordinary length/psc: 6000m or according to specified inquiry
- Grade: SUS304, SUS201, SUS430

STAINLESS STEEL 304, 201, 430 RECTANGULARS, SQUARE PIPES SPECIFICATION TABLE

		DAI DUONG®		Thickness																								
				0.22	0.25	0.3	0.35	0.40	0.45	0.50	0.55	0.60	0.70	0.80	0.90	1.00	1.10	1.20	1.40	1.50	2.00	2.50	3.00					
SIZE	SQUARE PIPES	10x10	10	10					0.74	0.83	0.91	1.00	1.09	1.26	1.43	1.59	1.75	1.91	2.07									
		12.5x12.5	13	13	0.52	0.59	0.70	0.81	0.93	1.04	1.15	1.26	1.37	1.59	1.81	2.02	2.23	2.43	2.64									
		15x15	15	15				0.98	1.12	1.25	1.39	1.52	1.66	1.92	2.19	2.45	2.70	2.96	3.21	3.70	3.94							
		20x20	20	20					1.50	1.68	1.86	2.05	2.23	2.59	2.95	3.30	3.66	4.00	4.35	5.03	5.37	7.01						
		25x25	25	25					1.88	2.11	2.34	2.57	2.80	3.26	3.71	4.16	4.61	5.05	5.49	6.36	6.80	8.91						
		30x30	30	30					2.26	2.54	2.82	3.09	3.37	3.92	4.47	5.01	5.56	6.10	6.63	7.70	8.22	10.82						
		35x35	35	35					2.64	2.97	3.29	3.62	3.94	4.59	5.23	5.87	6.51	7.14	7.77	9.03	9.65	12.72						
		38x38	38	38							3.58	3.93	4.28	4.99	5.69	6.38	7.08	7.77	8.46	9.83	10.51	13.86						
		40x40	40	40									4.51	5.25	5.99	6.73	7.46	8.19	8.92	10.36	11.08	14.62						
		50x50	50	50									5.65	6.58	7.51	8.44	9.36	10.28	11.20	13.02	13.93	18.42						
60x60	60	60														12.37	13.48	15.69	16.78	22.23								
100x100	100	100														20.74	22.61	26.34	28.20	37.45	46.62	55.72						
SIZE	RECTANGULAR PIPES	10x20	10	20	0.62	0.70	0.84	0.98	1.12	1.25	1.39	1.52	1.66	1.92	2.19	2.45	2.70	2.96	3.21	3.70	3.94							
		10x25	10	25					1.31	1.47	1.63	1.79	1.94	2.26	2.57	2.87	3.18	3.48	3.78	4.37	4.66							
		10x30	10	30					1.50	1.68	1.86	2.05	2.23	2.59	2.95	3.30	3.66	4.00	4.35	5.03	5.37							
		10x40	10	40					1.88	2.11	2.34	2.57	2.80	3.26	3.71	4.16	4.61	5.05	5.49	6.36	6.80							
		10x50	10	50								3.09	3.37	3.92	4.47	5.01	5.56	6.10	6.63	7.70	8.22							
		10x60	10	60								3.62	3.94	4.59	5.23	5.87	6.51	7.14	7.77	9.03	9.65							
		13x26	13	26	0.81	0.92	1.10	1.28	1.46	1.64	1.82	1.99	2.17	2.52	2.87	3.22	3.56	3.90	4.24	4.90	5.23							
		15x20	15	20							1.63	1.79	1.94	2.26	2.57	2.87	3.18	3.48	3.78	4.37	4.66							
		15x25	15	25							1.86	2.05	2.23	2.59	2.95	3.30	3.66	4.00	4.35	5.03	5.37							
		15x30	15	30							2.10	2.31	2.51	2.92	3.33	3.73	4.13	4.53	4.92	5.70	6.08							
		20x30	20	30										3.26	3.71	4.16	4.61	5.05	5.49	6.36	6.80							
		20x40	20	40									3.37	3.92	4.47	5.01	5.56	6.10	6.63	7.70	8.22	10.82						
		20x50	20	50										4.59	5.23	5.87	6.51	7.14	7.77	9.03	9.65	12.72						
		20x60	20	60										5.25	5.99	6.73	7.46	8.19	8.92	10.36	11.08	14.62						
		20x80	20	80										6.58	7.51	8.44	9.36	10.28	11.20	13.02	13.93	18.42						
		25x50	25	50										4.92	5.61	6.30	6.98	7.67	8.34	9.69	10.36	13.67						
		25x75	25	75										6.58	7.51	8.44	9.36	10.28	11.20	13.02	13.93	18.42						
		30x40	30	40										4.59	5.23	5.87	6.51	7.14	7.77	9.03	9.65	12.72						
		30x50	30	50										5.25	5.99	6.73	7.46	8.19	8.92	10.36	11.08	14.62						
		30x60	30	60										5.92	6.75	7.58	8.41	9.24	10.06	11.69	12.50	16.52						
		40x60	40	60										6.58	7.51	8.44	9.36	10.28	11.20	13.02	13.93	18.42						
		40x80	40	80										7.92	9.04	10.15	11.26	12.37	13.48	15.69	16.78	22.23						
		40x100	40	100															15.76	18.35	19.64	26.03						
		50x100	50	100															16.90	19.68	21.06	27.94	34.73	41.46				
		60x80	60	80															15.76	18.35	19.64	26.03	32.36	38.60				
60x120	60	120																23.68	25.34	33.64	41.87	50.02						




◇ Specification:

- Size:
 - Rectangulars: 10*20 mm – 60*120 mm
 - Square: 10 mm – 100 mm
- Thickness: 0.2 mm – 3.0 mm
- Surface finish: 320 grit, 550 grit, 600 grit
- The ordinary length/psc: 6000m or according to specified inquiry
- Grade: SUS304, SUS201, SUS430


STAINLESS STEEL ROUND RECTANGULARS, SQUARE PIPES APPLICATIONS

- Interior decoration, mechanical manufacture: Doors, stairs, railing, handrails, fences, gates, balconies ...
- Airport, subways, railway stations, shopping malls, buildings, hotels
- Household appliances, kitchen utensils
- Gas flow, water system
- Lightweight texture application
- Table frames




1.2 STAINLESS STEEL ROUND BAR AND WIRE IN GRADE 304, 201

STAINLESS STEEL 304, 201 ROUND BAR AND WIRE SPECIFICATION TABLE

	Grade	Finish	Min (mm)	Max (mm)
	SUS 201/ 304	BA/2B	3	200


Specification round bar


- Size: 3 mm – 200 mm
- Surface: 2B, BA
- The ordinary length/psc: 6000m
- Grade: SUS304, SUS201



Applications:

Round bars are used in different applications: small ones are used in the production of household items, бага carts, hanger, hasp, concrete foundation, interior decoration, etc...the big ones are used in shipbuilding industries (304), industries producing mechanical accessories: valves, flanges, couplings, shafts, bolts, nuts, pump parts, hydraulic cylinders force ... depending on the conditions and requirements on corrosion and rust sothat users can use ones with grade 201 or 304. As resutl of the requirements for good corrosion resistance, suitable for shaping and welding, manufacturers are recommended to choose grade 304 for round bars.





PRODUCTS

**STAINLESS STEEL COLD ROLLED COILS/SHEETS
IN GRADE 304, 201**




1.3. STAINLESS STEEL COLD ROLLED COILS IN GRADE 304/201 WERE PRODUCED AT PHU MY STAINLESS STEEL COILS MILL

Stainless steel cold rolled coils/sheets in grade 304/201 were produced at Phu My stainless steel coils mill.

THE SPECIFICATION TABLE OF STAINLESS STEEL COIL

Grade	Surface finish	Wall thickness		Width		Weight	
		Min (mm)	Max (mm)	Min (mm)	Max (mm)	Min (mm)	Max (mm)
SUS/AISI 201 – 304	2D/2DB/ 2DB-D/2BA	0.3	2	30	850	200	20,000





APPLICATION OF COILS

- Construction and architecture: stainless steel roofing sheets (rooftop) for commercial and industrial buildings of low and high floors, high-class households, gutter systems with large lengths
- Light industry: details of textile machinery, dyeing industry, water filtration products, air filters, dairy factories, seafood conveyor belts (stainless steel 201)
- Heavy industry: used in hydroelectricity, petrochemical, shipbuilding, automobile manufacturing (304 stainless steel)

STAINLESS STEEL SHEET IN GRADE 304, 201 WERE PRODUCED AT PHU MY STAINLESS STEEL COILS MILL

THE SPECIFICATION TABLE OF STAINLESS STEEL SHEET

Grade	Surface finish	Thickness		Width	
		Min (mm)	Max (mm)	Min (mm)	Max (mm)
SUS/AISI 201 - 304	2D/2DB/ 2DB-D/2BA	0.3	2	According to the specific requirements of the customer	



APPLICATION OF SHEETS

- *Construction and interior decoration: making railing, stairs, fences art, decorative details, elevator cabin...*
- *Medical: surgical instruments, cabinets, dispensers, storage, medical beds...*
- *Household products: saucepan, pot, tray*





**IMPORTED STAINLESS STEEL PRODUCTS: 316, 304, 201, 430...
HOT ROLLED, COLD ROLLED COILS, SHEET IN GRADE
SEAMLESS PIPES, INDUSTRIAL PIPES
FLAT BAR, ANGLE BAR, SQUARE BAR,
HEXAGON BAR, WIRE ROD**



2.1 IMPORTED COMMODITIES: STAINLESS STEEL BARS, TUBES AND WIRE RODS

THE SPECIFICATION TABLE OF STAINLESS STEEL SEAMLESS PIPES

Grade	Surface finish	length/pcs (mm)	thickness	Diameter of round pipe	Diameter of rect & square	Standard
SUS 304,316	No.1, 2B, BA	6000	0.5 – 20	5 – 530	15*15 – 200*200	ASTM
		6000			15*30 – 100*200	



APPLICATION OF STAINLESS STEEL SEAMLESS PIPES

Mainly used in the production of cases of heat resistance and high pressure, warming pipes, gas pipelines, main steam pipes used to transport oil, gas, high pressure piping systems, systems heat exchangers, ...



2.2 STAINLESS STEEL 304 INDUSTRIAL PIPES

STAINLESS STEEL 304 INDUSTRIAL PIPES SPECIFICATION TABLE

Grade	Surface finish	Length/pcs (mm)	Wall thickness (mm)	Diameter (mm)	Diameter (mm)	Standard
SUS 304,316	NO1, 2B, BA	6000 6000	1.5 – 20.0	5 – 530	15*15 – 200*200 15*30 – 100*200	ASTM



Industrial pipes specifications:

- Size:
 - Rectangulars: 15*30 mm – 100*120 mm
 - Square: 15 mm – 200 mm
- Thickness: 0.2 mm – 3.0 mm
- Surface: No1, 2B, BA
- The ordinary length/psc: 6000mm/ ordinary length/pcs 6000mm
- Grade: SUS304, SUS316

Application:

Due to the demand for pipes that can resist corrosion, heat resistance and withstand high pressure, long-term use, the industrial pipe products of Dai Duong are widely used in the construction industry like: being applied for manufacturing of machinery, equipment and tools as well as for the petrochemical and petrochemical industry, moreover in fertilizer factories, pulp industry, rig system and industrial use mining, structural structure, factory building, buildings, heat exchangers etc...


THE SPECIFICATION TABLE OF STAINLESS STEEL SEAMLESS ANGEL

Grade	Surface finish	Diameter (mm)	Length/pcs (mm)	Wall thickness
SUS 304, 316	No.1, 2B, BA, HL	25 X 25	6000	3.0, 4.0, 5.0
		30 X 30		3.0, 4.0, 5.0
		40 X 40		3.0, 4.0, 5.0
		50 X 50		3.0, 4.0, 5.0, 6.0
		60 X 60		4.0, 5.0, 6.0
		65 X 65		5.0, 6.0, 7.0
		70 X 70		5.0, 6.0, 7.0
		75 X 75		6.0, 7.0, 8.0
		80 X 80		6.0, 7.0, 8.0, 9.0
		100 X 100		7.0, 8.0, 9.0, 10.0
				8.0, 9.0, 10.0, 12.0

THE SPECIFICATION TABLE OF STAINLESS STEEL SEAMLESS WIRE, FLAT BAR, OVAL...


- Hexagon Bar

Grade	Surface finish	Length/pcs (mm)	Diameter (mm)
316/ 304	2B, BA, HL	6000	8 to 60





- Flat Bar

Grade	Surface finish	Length/pcs (mm)	Wall thickness (mm)	KíCH Diameter (mm)
316/ 304	2B, BA, HL	6000	3 to 15	25 to 120



- Square Bar

Grade	Surface finish	Length/pcs (mm)	Diameter (mm)
316/ 304	2B, BA, HL	6000	5 x 5 to 60 x 60



- Wire rod

Grade	Surface finish	Diameter (mm)
304/ 201/ 204CU	2B, BA, No.1	0.1 to 14



STAINLESS STEEL HOT ROLLED, COLD ROLLED COILS IN GRADE 316, 304, 201, 430

THE SPECIFICATION TABLE OF STAINLESS STEEL COIL


Grade	Surface finish	Wall thickness (mm)		Width (mm)	
		Min (mm)	Max (mm)	Min (mm)	Max (mm)
SUS/AISI 201 – 202 – 304 – 304L – 301 – 310s – 316 – 316L – 430 ...	2D/ 2B/ BA / No.3 / No.4 / HL ...	0.3	6	18 to 200	1548 to 6000



STAINLESS STEEL SHEET IN GRADE 316, 304, 201, 430

THE SPECIFICATION TABLE OF STAINLESS STEEL STEEL

Grade	Surface finish	Wall thickness (mm)		Width (mm)	
		Min (mm)	Max (mm)	Min (mm)	Max (mm)
SUS/AISI 201 – 202 – 304 – 304L – 301 – 310s – 316 – 316L – 430 ...	No.1/1D	2.5	60	20 to 200	1548 to 6000
	2D/ 2B/ BA / No.3 / No.4 / HL ...	0.3	6	18 to 200	1548 to 6000



Certifications & Awards

Certifications by:

Iso 9001: 2015 Certifications

European Standard EN 10217-7

ASTM A554 standard

JIS G3459 standard

DIRECTORATE FOR STANDARDS, METROLOGY AND QUALITY (STAMEQ)
VIETNAM CERTIFICATION CENTRE (QUACERT)



CERTIFICATE

This is to certify that the Products as: **Welded Austenitic Stainless Steel Tube, Grade MT-304, Round Form, Dimension up to 9,6 mm to 89,1 mm; Rectangular Form, Square Form, Dimension from 10x20 mm to 40x100 mm**
with Trade Mark **DAI DUONG®**
made by
O S S DAIDUONG INTERNATIONAL JOINT STOCK COMPANY
Head Office: Lot LE4, Road No.2, Xuyen A Industrial Zone, My Hanh Bac Commune, Duc Hoa District, Long An Province, Viet Nam
have been found to conform with the standard
ASTM A 554 – 16
and authorised to use the Quality Mark



Certification System: SYSTEM 5 (Circular No. 28/2012/TT-BKHCH dated 12 Dec 2012)
Certificate Number: SP 2315/1.21.17
The validity of this Certificate: from 20 July 2021 to 19 July 2024
Original Certification: 21 June 2018

Director

Phạm Lê Cường
QUACERT – 8 Hoàng Quốc Việt, Cầu Giấy, Hanoi, Vietnam.
The validity of this certificate can be checked at website: www.quacert.gov.vn and www.jso-ans.org/register

DIRECTORATE FOR STANDARDS, METROLOGY AND QUALITY (STAMEQ)
VIETNAM CERTIFICATION CENTRE (QUACERT)



CERTIFICATE

This is to certify that the Products as
Welded Austenitic Stainless Steel Tube, Grade X5CrNi18 - 10 - 1.4 301-TC2-WP, Round Form, Diameter from 9,5 mm to 89,1 mm
with Trade Mark **DAI DUONG®**
made by
O S S DAIDUONG INTERNATIONAL JOINT STOCK COMPANY
Head Office: Lot LE4, Road No.2, Xuyen A Industrial Zone, My Hanh Bac Commune, Duc Hoa District, Long An Province, Viet Nam
have been found to conform with some requirements of the standard (See attached appendix for more details)
BS EN 10217-7:2014

Certification System: SYSTEM 5 (Circular No. 28/2012/TT-BKHCH dated 12 Dec 2012)
Certificate Number: SP 2330/1.21.17
The validity of this Certificate: from 20 July 2021 to 19 July 2024
Original Certification: 07 July 2018

Director

Phạm Lê Cường
QUACERT – 8 Hoàng Quốc Việt, Cầu Giấy, Hanoi, Vietnam.
The validity of this certificate can be checked at website: www.quacert.gov.vn and www.jso-ans.org/register

DIRECTORATE FOR STANDARDS, METROLOGY AND QUALITY (STAMEQ)
VIETNAM CERTIFICATION CENTRE (QUACERT)



CERTIFICATE

This is to certify that the Products as
Welded Austenitic Stainless Steel Tube, Grade SUS304TP-A-C, Schedule 5S, Out-side diameter up to 89,1 mm
with Trade Mark **DAI DUONG®**
made by
O S S DAIDUONG INTERNATIONAL JOINT STOCK COMPANY
Head Office: Lot LE4, Road No.2, Xuyen A Industrial Zone, My Hanh Bac Commune, Duc Hoa District, Long An Province, Viet Nam
have been found to conform with the standard
JIS G 3459 : 2016
and authorised to use the Quality Mark




Certification System: SYSTEM 5 (Circular No. 28/2012/TT-BKHCH dated 12 Dec 2012)
Certificate Number: SP 2322/1.21.17
The validity of this Certificate: from 20 July 2021 to 19 July 2024
Original Certification: 28 June 2018

Director




Phạm Lê Cường
QUACERT – 8 Hoàng Quốc Việt, Cầu Giấy, Hanoi, Vietnam.
The validity of this certificate can be checked at website: www.quacert.gov.vn and www.jso-ans.org/register

nqa

This is to certify that the Quality Management System of
O S S DAIDUONG INTERNATIONAL JOINT STOCK COMPANY
Lot Le4, Road No. 2, Xuyen A Industrial Park, My Hanh Bac Commune, Duc Hoa District, Long An Province, Vietnam
applicable to
Manufacturing of pipes, bars, and rolls of strip from stainless steel
has been assessed and registered by NQA against the provisions of
BS EN ISO 9001 : 2015
This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.

Managing Director

Phạm Lê Cường

Certificate No: 67674
Issue Date: 26 November 2018
Valid Until: 26 November 2021
EAC Code: 17/18

Certificate of Registration

The use of the NQA Accredited Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 015 held by NQA.
NQA is a member of NQA Certification Limited, Registered No. 8531758, Registered Office: Warwick House, Highgate Hill Park, Highgate Ridge, Doncaster, LE1 5JL, UK.
This website is the property of NQA and may not be reproduced.

ACHIEVEMENTS

Top 10 Viet Brands Strong Brand
 VTOPBUILD : Gold medal especially stainless
 steel pipe products

